

200 mM HCl
Methanol, 3 hr, RT




Figure 1




Figure 2

SELECTED **Selectivity of Apoptolitin Toward Certain Tumor Cells,** **As Illustrated by the NCI-60 Cell Line Panel**




Figure 3

105220*E239T650




Figure 4

A Simple Model for the Selective Cytotoxicity of F0F1 ATPase Inhibitors





Figure 5

Oxamate Sensitizes Jurkat Cells to Apoptolidin

Jurkat planted at 40,000/well, killing with various drug combinations



Jurkat planted at 40,000/well, killing with various drug combinations





Figure 6

Deoxyglucose Sensitizes Jurkat Cells to Apoptolidin

Jurkat planted at 40,000/well, killing with 2-deoxyglucose and apoptolidin



Jurkat planted at 40,000/well, killing with 2-deoxyglucose and apoptolidin




Figure 7

Oxamate Enhances Sensitivity of LYas Cells to Apoptolidin

Killing of LYas cells for 7 hours, planted at
1x10⁶/ml




Figure 8

Oxamate Sensitization of Cells to Apoptolidin: A General Phenomenon





Figure 9

Deoxyglucose Sensitization of Cells to Apoptoludin: A General Phenomenon



Cell Line

Figure 10




Figure 11